APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/583,964	06/21/2006	Erwin R. Bonsma	36-1993	1484

23117   7590   11/16/2009
NIXON & VANDERHYE, PC
901 NORTH GLEBE ROAD, 11TH FLOOR
ARLINGTON, VA 22203

EXAMINER
NICKERSON, JEFFREY L

ART UNIT	PAPER NUMBER
2442	

MAIL DATE	DELIVERY MODE
11/16/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE <u>3</u> MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.
- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1) ☒ Responsive to communication(s) filed on <u>27 July 2009</u>.

2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.

3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4) ☒ Claim(s) <u>1-21</u> is/are pending in the application.

   4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5) ☐ Claim(s) _____ is/are allowed.

6) ☒ Claim(s) <u>1-21</u> is/are rejected.

7) ☐ Claim(s) _____ is/are objected to.

8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9) ☐ The specification is objected to by the Examiner.

10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.

   Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

   Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

   a) ☐ All b) ☐ Some * c) ☐ None of:

   1. ☐ Certified copies of the priority documents have been received.

   2. ☐ Certified copies of the priority documents have been received in Application No. _____.

   3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

   * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) ☒ Notice of References Cited (PTO-892)
2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3) ☐ Information Disclosure Statement(s) (PTO/SB/08)
   Paper No(s)/Mail Date _____.

4) ☐ Interview Summary (PTO-413)
   Paper No(s)/Mail Date. _____
5) ☐ Notice of Informal Patent Application
6) ☐ Other: _____.

DETAILED ACTION

1.   This communication is in response to Application No. 10/583,964 filed nationally

on 21 June 2006 and internationally on 10 December 2004. The response presented on

27 July 2009, which amends claims 1-2, 4, and 6-7, amends the title, and presents

arguments, is hereby acknowledged. Claims 1-21 are currently pending.

Specification

2.   The response filed 27 July 2009 providing change to the title is noted. All

outstanding objections to the specification are hereby withdrawn.

Claim Rejections - 35 USC § 112

3.   The response filed 27 July 2009 providing change to the claims is noted. Except

for the rejections listed below, all outstanding rejections under 35 USC 112 are hereby

withdrawn.

4.   The following is a quotation of the second paragraph of 35 U.S.C. 112:

> The specification shall conclude with one or more claims particularly pointing out and distinctly
> claiming the subject matter which the applicant regards as his invention.

5.   Claims 4, 11-21 are rejected under 35 U.S.C. 112, second paragraph, as being

indefinite for failing to particularly point out and distinctly claim the subject matter which

applicant regards as the invention.

Regarding claims 4, 11, and 13, these claims contain the phrase "or as the case may

be", which is ambiguous as it is uncertain whether this requires the functionality to

actually exist. Furthermore "the case" has no antecedent basis. Correction is required.

Claims 12 and 14-21 inherit the rejection.

Response to Arguments

6.   Applicant's arguments filed in the response dated 27 July 2009 have been fully

considered but they are not persuasive.

<u>Independent claims 1, 2, 6, 7, 11, and 13</u>

Argument 1: Applicant argues the combined teachings (specifically Triantafillou) could

only possibly render obvious one of the nodes as claimed, either the node for item look-

up or the node for directory look-up.

Response 1: The examiner respectfully disagrees. Every node in Triantafillou contains

directory look-up information (Triantafillou: section 3.2 *"each node keeps the following…*

DT, DCRT") and documents itself (Triantafillou: section 3.2 *"each node keeps the*

following… DT). Furthermore, the term *"node"* is a logical entity and multiple nodes

may exist on a physical device or span multiple physical devices. Thus the combined

teachings provide for both functionality of the claimed nodes and applicant's arguments

are unpersuasive.

Argument 2: Applicant argues the combined teachings (specifically Triantafillou) fail to render obvious the following:

> "software operable [] in response to an enquiry message that identifies the virtual directory with which the node for directory look-up is associated, generating a reply message identifying a computer that the node for directory look-up is located on".

Response 2: The examiner respectfully disagrees. Triantafillou teaches software operable in response to an enquiry message that identifies the virtual directory with which the node for directory look-up is associated (Triantafillou: section 3.3, target node step a provides for identifying category of the incoming query and determining if local documents matching the category exist); and generating a reply message (Triantafillou: section 3.3, target node step c). One of ordinary skill in the art would readily recognize that messages transmitted in a networking environment would contain source and destination identifiers that identify the physical machines and communication interfaces, as such is required to enable practicing the Triantafillou system. The examiner relied upon Kwon for the explicit teaching of a reply message identifying the computer's address upon which a node is located on (Kwon: section 3.2). Thus the combined teachings render obvious the above-argued limitation.

Argument 3: Applicant argues the combined teachings (specifically Triantafillou) fail to render obvious the following:

"software operable [] in response to an enquiry message that identifies another of
the virtual directories, to forward the message to another node for directory look-
up of the network".

Response 3: The examiner respectfully disagrees. In the trivial case of Triantafillou's
target node finding documents matching the query category (ie, it finds zero matching
documents) (Triantafillou: section 3.3, target node step a), the target node forwards the
query to other nodes for similar categorical look-up (Triantafillou: section 3.3, target
node, step b). Thus the combined teachings render obvious the above-argued
limitation.

Applicant's arguments are ultimately unpersuasive and, therefore, the rejections of
these claims are hereby maintained.

Dependent claims 5, 9-10, and 14-15, and Independent claim 13
Applicant traverses the statements of Official Notice taken by the examiner in the prior
action.

The examiner has adjusted the rejection rationale with regards to these claims only
insofar as to support the prior statements of Official Notice.

Claim Rejections - 35 USC § 103

7.   The text of those sections of Title 35, U.S. Code not included in this action can

be found in a prior Office action.

8.   Claims 1-4, 6-8, 11-12, and 16-18 are rejected under 35 U.S.C. 103(a) as being

unpatentable over Bonsma et al ("A distributed implementation of the SWAN peer-to-

peer look-up system using mobile agents", 2002), and in further view of Triantafillou et

al ("Towards high performance peer-to-peer content and resource sharing systems",

2003), Kwon et al ("An efficient peer-to-peer file sharing exploiting hierarchy and

asymmetry", 2003), and Adar et al ("Free Riding on Gnutella", 2000).

Regarding claim 1, Bonsma teaches a distributed computer system comprising a

plurality of computers (Bonsma: abstract), said system comprising:

        a plurality of computers (Bonsma: section 4),

        each computer having at least one first node of a virtual network (Bonsma:

section 3), said first node comprising:

        ii) linking data comprising addresses of other such nodes (Bonsma: section 3

provides for multiple types of links; Bonsma: section 3.1 provides for identifying based

on addresses); and

        each computer that having a second node of a virtual network, said second node

comprising:

ii) linking data comprising addresses of other such nodes (Bonsma: section 3 and 3.1).

Bonsma does not teach:

wherein the computers each store data items, each data item being assigned to one of a plurality of virtual directories;

wherein the first node is for directory look-up, said first node comprising:

i) data identifying the one of the plurality of virtual directories with which the node is associated;

iii) software operable:

in response to an enquiry message that identifies another of the virtual directories, forwarding said enquiry message to another node of the network; and

in response to an enquiry message that identifies a virtual directory the node is associated with, generating a reply message that identifies a computer the node is located on;

wherein the second node is for item look-up, said second node comprising:

i) data identifying an item with which the node is associated;

ii) wherein other such nodes are each associated with an item assigned to the same virtual directory, whereby said linking data together define a plurality of virtual networks for item look-up, each of which networks corresponds to a respective different directory;

iii) software operable:

in response to an enquiry message that identifies another of the items, forwarding said enquiry message to another node of the network; and

in response to an enquiry message that identifies an item the node is associated with, generating a reply message including the item;

and

wherein at least one computer has retrieval means responsive to receipt of a query identifying a directory and an item within that directory to:

i) send to a node of the virtual network for directory look-up an enquiry message identifying the directory;

ii) upon receipt of a reply message thereto, to send to the computer identified in the reply message an enquiry message identifying the item; and

iii) to receive the reply message containing the item.

Triantafillou, in a similar field of endeavor, teaches:

wherein the computers each store data items, each data item being assigned to one of a plurality of virtual directories (Triantafillou: section 3.2 provides for document categories);

wherein the first node is for directory look-up (Triantafillou: section 3.3, target node), said first node comprising:

i) data identifying the one of the plurality of virtual directories with which the node is associated (Triantafillou: section 3.3, target node step a);

iii) software operable:

in response to an enquiry message that identifies another of the virtual directories, forwarding said enquiry message to another node of the network (Triantafillou: section 3.3, requesting node, steps a-c); and

in response to an enquiry message that identifies a virtual directory the node is associated with, generating a reply message (Triantafillou: section 3.3, target node, step c);

wherein the second node is for item look-up (Triantafillou: section 3.3, target node, steps a-b), said second node comprising:

i) data identifying an item with which the node is associated (Triantafillou: section 3.2);

ii) wherein other such nodes are each associated with an item assigned to the same virtual directory, whereby said linking data together define a plurality of virtual networks for item look-up, each of which networks corresponds to a respective different directory (Triantafillou: section 3.2-3.3; DCRT definition; requesting node, step a-b);

and wherein at least one computer has retrieval means responsive to receipt of a query identifying a directory (Triantafillou: section 3.3, target node, step a-b) to:

i) send to a node of the virtual network for directory look-up an enquiry message identifying the directory (Triantafillou: section 3.3, requesting node, steps b-c).

It would have been obvious to one of ordinary skill in the art at the time the

invention was made to utilize the teachings of Triantafillou for using document

categories and having category lookup and routing tables. The teachings of

Triantafillou, when implemented in the Bonsma system, will allow one of ordinary skill in

the art to have category nodes for looking up items they maintain or related nodes

within the category. One of ordinary skill in the art would be motivated to utilize the

teachings of Triantafillou in the Bonsma system in order to increase the efficiency of

querying by categorizing items and load balancing requests.

The Bonsma/Triantafillou system does not teach:

wherein a reply message identifies a computer the node is located on;

wherein a reply message includes the item;

the second node further comprising:

iii) software operable:

in response to an enquiry message that identifies another of the

items, forwarding said enquiry message to another node of the network;

and

in response to an enquiry message that identifies an item the node

is associated with, generating a reply message;

and wherein at least one computer has retrieval means responsive to receipt of a

query identifying an item to:

ii) upon receipt of a reply message thereto, to send to a computer an

enquiry message identifying the item; and

iii) to receive the reply message containing the item.

Kwon, in a similar field of endeavor, teaches:

wherein a reply message identifies a computer the node is located on (Kwon:

section 3.2, provides returning computer IP of node);

the second node further comprising:

iii) software operable:

in response to an enquiry message that identifies another of the

items, forwarding said enquiry message to another node of the network

(Kwon: section 3.2, step-by-step method provides for forwarding if local

lookup fails); and

in response to an enquiry message that identifies an item the node

is associated with, generating a reply message (Kwon: section 3.2, 3-step

method provides for returning location information if found);

It would have been obvious to one of ordinary skill in the art at the time the

invention was made to utilize the teachings of Kwon for looking in local items and

forwarding if not found. The teachings of Kwon, when implemented in the

Bonsma/Triantafillou system, will allow one of ordinary skill in the art to retrieve file

location information in a location-independent node P2P DHT environment. One of

ordinary skill in the art would be motivated to utilize the teachings of Kwon in the

Bonsma/Triantafillou system in order to effectively identify locations of requested items.

The Bonsma/Triantafillou/Kwon system does not teach:

wherein a reply message includes the item;

and wherein at least one computer has retrieval means to:

ii) upon receipt of a reply message thereto, to send to a computer an enquiry message identifying the item; and

iii) to receive the reply message containing the item.

Adar, in a similar field of endeavor, teaches:

wherein a reply message includes the item (Adar: pg 5, get/push messages provides for receiving item);

and wherein at least one computer has retrieval means to:

ii) upon receipt of a reply message thereto, to send to a computer an enquiry message identifying the item (Adar: pg 5, get/push messages provides for requesting item after query); and

iii) to receive the reply message containing the item (Adar: pg 5, get/push messages provides for receiving item).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize the teachings of Adar for the querying peer to subsequently request the file. The teachings of Adar, when implemented in the Bonsma/Triantafillou/Kwon system, will allow one of ordinary skill in the art to search for files, via directory lookups, on a DHT P2P network, and then request the file. One of ordinary skill in the art would be motivated to utilize the teachings of Adar in the Bonsma/Triantafillou/Kwon system in order to achieve the desired outcome of most end users, obtaining the file.

Regarding claim 2, this claim contains limitations found within claim 1 and the same

rationale of rejection is used, where applicable; and wherein the second node further

comprises:

    Software operable to:

        in response to a request message identifying the item with which the node

    is associated to generate a reply message including the item (Adar: pg 5,

    "get/push messages" section); and

        wherein at least one computer has retrieval means to:

        upon receipt of a reply message thereto, to send to the computer identified

    in the reply message a message requesting the item (Adar: pg 5, "get/push

    messages" section).

Regarding claim 3, the Bonsma/Triantafillou/Kwon/Adar system teaches wherein each

computer having retrieval means includes also secondary retrieval means operable to:

    upon receipt of a reply message identifying a computer having one or more items

in a particular directory to identify further computers having one or more items in that

directory (Kwon: section 3.2; Triantafillou: section 3.2, 3.3);

    to create a list of items in that directory (Triantafillou: section 3.3, target node,

step c).

Regarding claim 4, the Bonsma/Triantafillou/Kwon/Adar system teaches wherein each

computer that has said data item stored thereon also has at least one node of a

secondary virtual network for directory look-up, such that said nodes of a secondary

virtual network for directory look-up together form a respective secondary virtual

network for each virtual directory (Triantafillou: section 3.1 provides a computer may

belong to more than one cluster), wherein said node of a secondary virtual network for

directory look-up comprising a data storage area for containing a list of addresses of

other nodes of the secondary virtual network that have items in the same directory

(Triantafillou: section 3.2) and said node of a secondary virtual network for directory

look-up is responsive to enquiry messages to return a message containing the

addresses of the list (Triantafillou: section 3.2-3.3; Adar: pg 5, "query response"); and

　　　　wherein the secondary retrieval means is operable, for identifying further

computers having one or more items in the directory in question, to send an enquiry

message to the node identified by the reply message and upon receipt of a response to

iteratively send enquiry messages to addresses contained in the response to that

enquiry message or as the case may be in a response to a subsequent enquiry

message (Adar: pg 5, "query response", "get/push messages"; Triantafillou: sections

3.2-3.3).

Regarding claim 6, this computer claim contains limitations corresponding to those

found within claim 1 and the same rationale of rejection is used, where applicable.

Regarding claim 7, this computer claim contains limitations corresponding to those

found within claim 2 and the same rationale of rejection is used, where applicable.

Regarding claim 8, this computer claim contains limitations corresponding to those found within claim 3 and the same rationale of rejection is used, where applicable.

Regarding claim 11, the Bonsma/Triantafillou/Kwon/Adar system teaches comprising a plurality of computer nodes, wherein each computer stores data items, each data item being assigned to one of a plurality of virtual directories (Triantafillou: sections 3.2-3.3), the network having:

first retrieval means responsive to input of a directory name to identify a computing node having items in that directory (Triantafillou: sections 3.2-3.3 provide for node lookup based on category);

second retrieval means connected to receive an address identified by the first retrieval means and operable in response thereto to identify further computing nodes having items in the same directory (Triantafillou: sections 3.2-3.3 provide for cluster to node IDing based on same category);

wherein each computing node having items in a given directory has associated with it a data storage area for containing addresses for other computing nodes having items in the same directory and is responsive to enquiry messages to return a message containing the addresses of the list (Triantafillou: sections 3.2-3.3 provide for cluster to node ID mapping; Adar: query message for returning addresses);

and wherein the second retrieval means is operable to send an enquiry message to the node identified by the first retrieval means and upon receipt of a response to

iteratively send enquiry messages to addresses contained in the response to that
enquiry message or as the case may be in a response to a subsequent enquiry
message, thereby identifying a plurality of computing nodes having items in the
directory in question (Triantafillou: sections 3.2-3.3 provide for mapping categories to
nodes; See Adar for querying to get locations).

Regarding claim 12, the Bonsma/Triantafillou/Kwon/Adar system teaches wherein the
retrieval means is operable to retrieve from each of said identified plurality of computing
nodes a list of items stored thereon, and to compile a composite list of said items
(Triantafillou: section 3.3, target node, step c).

Regarding claim 16, the Bonsma/Triantafillou/Kwon/Adar system teaches wherein the
first retrieval means is formed by a primary network of virtual nodes, each node being
defined by a list of links to other nodes of the secondary network, each entry in the list
including a label and address of the respective other node (Adar: pgs 4-5 describe
messages for identifying links with unique client ID and IP address; see also Bonsma:
section 3); and

        wherein each node includes i) means responsive to receipt of a request message
containing a label to propagate the request message within the network, and ii) means
responsive to receipt of a request message containing a label matching the label of the
node receiving it to generate a reply message (Adar: pgs 4-5 describe requesting
content and receiving it).

Regarding claim 17, the Bonsma/Triantafillou/Kwon/Adar system teaches wherein the
second retrieval means is formed by a secondary network of virtual nodes, each node
being defined by a list of links to other nodes of the primary network, each entry in the
list including an address of the respective other node (Bonsma: section 3, Adar: pgs 4-
5; Triantafillou: section 3.2); and

wherein each node includes means responsive to receipt of a request message
to generate a reply message containing the addresses of the list (Triantafillou: section
3.2 provides for cluster to node ID mapping).

Regarding claim 18, this system claim comprises limitations found within that of claim
16 and the same rationale of rejection is used, where applicable; and wherein the reply
message generated by a node of the primary network includes the address of that node
of the secondary network which is associated with the node generating the reply
message (Adar: pg 4-5 for generating reply messages with addresses; Triantafillou:
section 3.2 for knowing nodes of cluster).

9.   Claims 5, 9-10, and 13-15 are rejected under 35 U.S.C. 103(a) as being
unpatentable over Bonsma et al ("A distributed implementation of the SWAN peer-to-
peer look-up system using mobile agents", 2002), in view of Triantafillou et al ("Towards
high performance peer-to-peer content and resource sharing systems", 2003), Kwon et

al ("An efficient peer-to-peer file sharing exploiting hierarchy and asymmetry", 2003),

and Adar et al ("Free Riding on Gnutella", 2000), and in further view of Official Notice.

Regarding claim 5, the Bonsma/Triantafillou/Kwon/Adar system teaches wherein some

of the said directories are assigned, as subdirectories (other semantic categories), and

wherein each computer having retrieval means also includes:

      a first subdirectory retrieval means responsive to input of a directory name to

identify a computer node having items in at least one subdirectory assigned to that

directory (Triantafillou: section 3.3, requesting node steps a-b, target node steps a-b);

      a second subdirectory retrieval means connected to receive an address identified

by the first subdirectory retrieval means and operable in response thereto to identify

further computing nodes having items in at least one subdirectory assigned to the same

directory (Triantafillou: section 3.2-3.3).

      The Bonsma/Triantafillou/Kwon/Adar system does not teach wherein

subdirectories (other semantic categories) may be assigned to directories (a first

semantic category).

      An official notice is taken that such use of nesting categories for grouping

purposes was well known in the art at the time the invention was made by one of

ordinary skill in the art.

      It would have been obvious to one of ordinary skill in the art at the time the

invention was made to utilize any known categorization technique including nesting

category descriptors because it would have enabled practicing the

Bonsma/Triantafillou/Kwon/Adar system.

Regarding claim 9, this computer claim contains limitations corresponding to those

found within claim 5 and the same rationale of rejection is used, where applicable.

Regarding claim 10, the Bonsma/Triantafillou/Kwon/Adar/ON system teaches wherein

the retrieval means is operable to compile a composite list of said subdirectories

(Triantafillou: section 3.2-3.3 provides for generating list of all categories).

Regarding claim 13, the Bonsma/Triantafillou/Kwon/Adar system teaches comprising:

a plurality of computer nodes, wherein each computer stores data items, each

data item being assigned to one of a plurality of virtual directories, some of said

directories being assigned, as subdirectories (Triantafillou: sections 3.2-3.3 provide for

multiple categories);

first retrieval means responsive to input of a directory name to identify a

computing node having items in at least one subdirectory assigned to that (Triantafillou:

sections 3.2-3.3 provide for node lookup based on multiple category matching);

second retrieval means connected to receive an address identified by the first

retrieval means and operable in response thereto to identify further computing nodes

having items in one subdirectory assigned to the same directory (Triantafillou: sections

3.2-3.3 provide for cluster to node IDing based on multiple category lookups);

wherein each computing node having items in at least one subdirectory assigned to a given directory has associated with it a data storage area for containing addresses for other computing nodes having items in the at least on subdirectory assigned to the same directory and is responsive to enquiry messages to return a message containing the addresses of the list (Triantafillou: sections 3.2-3.3 provide for cluster to node ID mapping for multiple categories; Adar: query message for returning addresses);

and wherein the second retrieval means is operable to send an enquiry message to the node identified by the first retrieval means and upon receipt of a response to iteratively send enquiry messages to addresses contained in the response to that enquiry message or as the case may be in a response to a subsequent enquiry message, thereby identifying a plurality of computing nodes having items in subdirectories of the directory in question (Triantafillou: sections 3.2-3.3 provide for mapping categories to nodes for multiple categories; See Adar for querying to get locations and requesting items).

The Bonsma/Triantafillou/Kwon/Adar system does not teach wherein subdirectories (other semantic categories) may be assigned to directories (a first semantic category).

Christenson, in a similar field of endeavor, teaches wherein subdirectories may be assigned to directories (Christenson: [0314]-[0316]).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize the teachings of Christenson for having subdirectories. The teachings of Christenson, when implemented in the

Bonsma/Triantafillou/Kwon/Adar system, will allow one of ordinary skill in the art to

manage a directory-based DHT with subdirectories. One of ordinary skill in the art

would be motivated to utilize the teachings of Christenson in the

Bonsma/Triantafillou/Kwon/Adar system in order to implement a commonly-used

subdirectory concept to the system.

Regarding claim 14, the Bonsma/Triantafillou/Kwon/Adar/ON system teaches wherein

the retrieval means is operable to compile a composite list of said subdirectories

(Triantafillou: section 3.2).

Regarding claim 15, this claim contains limitations found within that of claim 13 and the

same rationale of rejection is used, where applicable.

10.   Claims 19 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable

over Bonsma et al ("A distributed implementation of the SWAN peer-to-peer look-up

system using mobile agents", 2002), in view of Triantafillou et al ("Towards high

performance peer-to-peer content and resource sharing systems", 2003), Kwon et al

("An efficient peer-to-peer file sharing exploiting hierarchy and asymmetry", 2003), and

Adar et al ("Free Riding on Gnutella", 2000), and in further view of Bonsma et al (WO

03/034669, herein "Bonsma02").

Regarding claim 19, the Bonsma/Triantafillou/Kwon/Adar system teaches wherein the

second retrieval means is formed by a secondary network of virtual nodes, each node

being defined by a list of links to other nodes of the primary network, each entry in the

list including an address of the respective other node (Bonsma: section 3; Triantafillou:

section 3.2);

The Bonsma/Triantafillou/Kwon/Adar system does not explicitly teach wherein

each node includes means operable and to propagate exploratory messages each

containing the label and address of the initiating node and wherein each node is

operable upon receipt of an exploratory message containing a label matching that of the

receiving node and an address not matching that of the receiving node to generate a

notification message for addition of a link to the secondary network, said notification

message identifying the node initiating the exploratory message and containing the

address of the node of the secondary network associated with the receiving node.

Bonsma02, in a similar field of endeavor, teaches wherein each node includes

means operable to propagate exploratory messages (query or FIND messages) each

containing the label and address of the initiating node (Bonsma02: pg 15, line 9-12) and

wherein each node is operable upon receipt of an exploratory message containing a

label matching that of the receiving node and an address not matching that of the

receiving node to generate a notification message for addition of a link to the secondary

network (Bonsma02: abstract) said notification message identifying the node initiating

the exploratory message and containing the address of the node of the secondary

network associated with the receiving node (Bonsma02: pg 15, lines 24-26).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize the teachings of Bonsma02 for searching for neighboring nodes. The teachings of Bonsma02, when implemented in the Bonsma/Triantafillou/Kwon/Adar system, will allow one of ordinary skill in the art to create a bootstrapping content addressable network. One of ordinary skill in the art would be motivated to utilize the teachings of Bonsma02 in the Bonsma/Triantafillou/Kwon/Adar system in order to allow efficient discovery and link management in the distributed CAN environment.

Regarding claim 20, the Bonsma/Triantafillou/Kwon/Adar/Bonsma02 system teaches wherein the notification message contains, as destination, the address of the initiating node (Bonsma02: abstract) and the initiating node is operable upon receipt thereof to forward to the node of the secondary network associated with the initiating node a message requesting addition of a link between it and the node having the address contained in the notification message (Bonsma02: pg 34, lines 21-27).

11.   Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Bonsma et al ("A distributed implementation of the SWAN peer-to-peer look-up system using mobile agents", 2002), in view of Triantafillou et al ("Towards high performance peer-to-peer content and resource sharing systems", 2003), Kwon et al ("An efficient peer-to-peer file sharing exploiting hierarchy and asymmetry", 2003), and Adar et al ("Free

Riding on Gnutella", 2000), Bonsma et al (WO 03/034669, herein "Bonsma02"), and

further in view of Yemini et al (US 2002/0163889 A1).

Regarding claim 21, the Bonsma/Triantafillou/Kwon/Adar/Bonsma02 system does not

explicitly teach adding and removing addresses of neighboring nodes to routing lists as

claimed.

Yemini, in a similar field of endeavor, teaches wherein each node of a secondary

network includes processing means programmed to perform the following operations:

receiving messages (Yemini: [0035]);

responding to messages requesting information about the contents of the list

(Yemini: [0037]);

complying with received requests to remove an address from the list and

insertion of another address into the list (Yemini: [0037]);

in response to receipt of a message requesting a link between the node and a

second node (Yemini: [0037]);

generating a message to the second node requesting information about the

contents of its list (Yemini: [0072]-[0075]);

determining whether both the first node and second node has in each case a

number of addresses in its list which is less than the predetermined number (Yemini:

[0068] specifies nodes exchange only the best labels/neighbors);

in the event that this condition is satisfied, inserting into its list the address of the second node and generating a message to the second node requesting the second node to add to its list the address of the node (Yemini: [0069]);

in the event that this condition is not satisfied, determining whether the node has a number of addresses in its list which is at least two less than the predetermined number, and if so- selecting from the list of the second node the address of a third node; inserting the address of the second node into the list of the first node and inserting the address of the third node into the list of the first node; generating a message to the second node requesting the removal of the address of the third node from the list of the second node and insertion of the address of the node; generating a message to the third node requesting the removal of the address of the second node from the list of the third node and insertion of the address of the node. (Yemini: [0098]-[0100] specifies that when a node moves, the address are removed from the adjacent nodes it leaves and the address is added to the adjacent nodes it moves to; See also Figure 7)

It would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize the teachings of Yemini for managing node links in the fashion stated. The teachings of Yemini, when implemented in the Bonsma/Triantafillou/Kwon/Adar/Bonsma02 system, will allow one of ordinary skill in the art to dynamically manage node links in a distributed CAN as specified. One of ordinary skill in the art would be motivated to utilize the teachings of Yemini in order to allow the network to self-adjust when nodes are added or removed in real-time.

Citation of Pertinent Prior Art

12.   The prior art made of record and not relied upon is considered pertinent to

applicant's disclosure.

      a.   Hugly et al (US 7,487,509 B2) discloses a decentralized P2P network that

      supports directories.

Conclusion

      THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time

policy as set forth in 37 CFR 1.136(a).

      A shortened statutory period for reply to this final action is set to expire THREE

MONTHS from the mailing date of this action. In the event a first reply is filed within

TWO MONTHS of the mailing date of this final action and the advisory action is not

mailed until after the end of the THREE-MONTH shortened statutory period, then the

shortened statutory period will expire on the date the advisory action is mailed, and any

extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

the advisory action. In no event, however, will the statutory period for reply expire later

than SIX MONTHS from the mailing date of this final action.

   Any inquiry concerning this communication or earlier communications from the
examiner should be directed to JEFFREY NICKERSON whose telephone number is
(571)270-3631. The examiner can normally be reached on M-Th, 9:00am - 7:00pm.

   If attempts to reach the examiner by telephone are unsuccessful, the examiner's
supervisor, Saleh Najjar can be reached on (571)272-4006. The fax phone number for
the organization where this application or proceeding is assigned is 571-273-8300.

   Information regarding the status of an application may be obtained from the
Patent Application Information Retrieval (PAIR) system. Status information for
published applications may be obtained from either Private PAIR or Public PAIR.
Status information for unpublished applications is available through Private PAIR only.
For more information about the PAIR system, see http://pair-direct.uspto.gov. Should
you have questions on access to the Private PAIR system, contact the Electronic
Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a
USPTO Customer Service Representative or access to the automated information
system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/J. N./
Examiner, Art Unit 2442

         /Asad M Nawaz/
         Primary Examiner, Art Unit 2455